Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 22-5-2018 Revision date: 22-5-2018 Version: 1.0

	entification of the substa	ance/mixture and of th	e company/undertaking		
1.1. Product identifier Product form		· Mixture			
Trade name		Ū	: Lowcargo SAE 5W30		
Product code			: 232xxx		
Type of product		: Lubricants			
Product group		· ·	: Trade product		
1.2. Relevant ide	entified uses of the substar	ice or mixture and uses a	advised against		
1.2.1. Relevant ide	entified uses				
Main use category		: Industrial use, Professiona	l use,Consumer use		
Use of the substan	ce/mixture	: Engine oil			
1.2.2. Uses advise	d against				
No additional inform					
1.3. Details of th	e supplier of the safety dat	a sheet			
Eurolub GmbH					
Freisinger Str. 25 - 85386 Eching - Ge					
Tel. +49 (0) 8165 /					
info@eurolub.com					
1.4. Emergency	telephone number				
Country	Organisation/Company	Address	Emergency number	Comment	
United Kingdom	National Poisons Information	Penarth	0344 892 0111		
	Service (Cardiff Centre)	CF64 2XX Cardiff			
Gwenwyn Ward, Llandough Hospital					
	1 lospital				
SECTION 2: U	azards identification				
	on of the substance or mixt	liro			
Classification acc	ording to Regulation (EC) No.	1272/2008 [CLP]Mixtures/Su	bstances: SDS EU 2015: Acc	ording to Regulation (EU)	

2015/830 (REACH Annex II)

Not classified

## Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**EUH-statements** 

: EUH210 - Safety data sheet available on request.

2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

3.1. Substances

Not applicable

3.2. Mixtures Comments

: Highly refined mineral oils and additives.

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic	(CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (EC Index-No.) 649-467-00-8 (REACH-no) 01-2119484627-25	50 - 80	Asp. Tox. 1, H304
Mineral oil *		2,5 - 20	Asp. Tox. 1, H304
bis(nonylphenyl)amine	(CAS-No.) 36878-20-3 (EC-No.) 253-249-4 (REACH-no) 01-2119488911-28	0,1 - 2,5	Aquatic Chronic 4, H413
Calcium branched alkyl phenate sulphide (overbased)	(EC-No.) Polymer	0,1 - 2,5	Aquatic Chronic 4, H413

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Comments	: * contains one or more of the following CAS-numbers (REACH registration numbers): 64741-88-4 (01-2119488706-23), 64741-89-5 (01-2119487067-30), 64741-95-3 (01- 2119487081-40), 64741-96-4 (01-2119483621-38), 64741-97-5 (01-2119480374-36), 64742-01-4 (01-2119488707-21), 64742-52-5 (01-2119467170-45), 64742-53-6 (01- 2119480375-34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-48), 64742-57-0 (01-2119489287-22), 64742-62-7 (01- 2119480472-38), 64742-65-0 (01-2119471299-27), 64742-71-8 (01-2119485040-48), 72623-85-9 (01-211955262-43), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-
	2119474889-13), 74869-22-0 (01-2119495601-36)
	The highly refined mineral oil contains $<3\%$ (w/w) DMSOextract according to IP346

The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell. Do not induce vomiting.
4.2. Most important symptoms and effects	, both acute and delayed
Symptoms/effects	: No additional information available. Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion	: May result in aspiration into the lungs, causing chemical pneumonia.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the substa	ince or mixture
Fire hazard	: Combustible liquid.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment a	and cleaning up		
Methods for cleaning up	: Take up liquid spill into absorbent material.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			
For further information refer to section 13.			

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, including a	ny incompatibilities
Storage conditions	: Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat.
Storage temperature	: 0 - 40 °C

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 7.3. Specific end use(s)

No additional information available

SECTION 8: Expos		trols/perso	onal protection					
8.1. Control paramete Lowcargo SAE 5W3								
EU	E	Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended: 5 mg/m <sup>3</sup> - ACGIH TLV (inhalable fraction).						
8.2. Exposure contro	ls							
Appropriate engineerin Ensure good ventilation of	•							
Materials for protective	e clothing	:						
Wear suitable protective	e clothing							
Hand protection:								
Protective gloves								
Туре	Material		Permeation	Thickness (mm)	Penetratio	on	Standard	
Reusable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)		5 (> 240 minutes), 6 (> 480 minutes)	>=0,35			EN 374	
Eye protection:								
Safety glasses								
Туре	Type Use Characteristics Standard							
Safety glasses Droplet				clear EN 16		EN 166	166	
Skin and body protect	ion:							
Wear suitable protective	clothing							
Respiratory protection	1:							
In case of insufficient ve	ntilation, v	/ear suitable re	espiratory equipment					

## Personal protective equipment symbol(s):



### Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical	properties		
9.1. Information on basic physical and c			
Physical state	: Liquid		
Colour	: brown.		
Odour	: characteristic.		
Odour threshold	: No data available		
pH	: No data available		
Relative evaporation rate (butylacetate=1)	: No data available		
Melting point	: Not applicable : -39 °C - ASTM D5950 (pour point)		
Freezing point			
Boiling point	: No data available		
Flash point	: 216 °C - ASTM D92 (COC)		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: Not applicable		
Vapour pressure	: No data available		
Relative vapour density at 20 °C	: No data available		

# Lowcargo SAE 5W30 Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Relative density	: No data available
Density	: 0,855 kg/l (15 °C) - ASTM D4052
Solubility	: Water : Practically not miscible.
Log Pow	: No data available
Viscosity, kinematic	: 68,4 mm²/s (40 °C) - ASTM D7279
Viscosity, dynamic	: No data available
Explosive properties	: Presents no particular fire or explosion hazard.
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
VOC content	: 0 %

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.
10.4. Conditions to avoid
None under recommended storage and handling conditions (see section 7).
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products
No decomposition if stored normally.

SECTION 11: Toxicological inform	nation
11.1. Information on toxicological eff	ects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
bis(nonylphenyl)amine (36878-20-3)	
LD50 oral rat	> 5000 mg/kg bodyweight (OECD 401 method)
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402 method)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
LD50 oral rat	> 5000 mg/kg (OECD 420 method)	
LD50 dermal rabbit	> 2000 mg/kg (OECD 402 method)	
LC50 inhalation rat (mg/l)	> 5,53 mg/l/4h (mg/L air, aerosol) (OECD 403 method)	
Skin corrosion/irritation :	Not classified	
Serious eye damage/irritation :	Not classified	
Respiratory or skin sensitisation :	Not classified	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	Not classified	
Aspiration hazard :	Not classified	
Lowcargo SAE 5W30		
Viscosity, kinematic	68,4 mm²/s (40 °C) - ASTM D7279	

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Acute aquatic toxicity	: Not classified

# Lowcargo SAE 5W30 Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Chronic aquatic toxicity :	Not classified
Calcium branched alkyl phenate sulphide (overbased)	
LC50 fish 1	> 1000 mg/l
EC50 Daphnia 1	> 1000 mg/l
EC50 96h algae (1)	> 1000 mg/l

Mineral oil *	
LC50 fish 1	> 100 mg/l
EC50 Daphnia 1	> 10000 mg/l
EC50 72h algae (1)	> 100 mg/l

bis(nonylphenyl)amine (36878-20-3)		
LC50 fish 1	> 100 mg/l Brachydanio rerio (zebra-fish)	
EC50 Daphnia 1	> 100 mg/l (OECD 202 method)	
EC50 72h algae (1)	600 mg/l	
EC50 96h algae (1)	870 mg/l	

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
LC50 fish 1	> 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)	
EC50 Daphnia 1	> 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)	
EC50 Daphnia 2	> 10000 mg/l (Daphnia magna, 48h) (OECD 202 method)	
NOEC (acute)	>= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)	
NOEC chronic fish	>= 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox, 14/28d)	
NOEC chronic crustacea	10 mg/l (Daphnia magna, 21d) (OECD 211 method)	
12.2. Persistence and degradability		
bis(nonylphenyl)amine (36878-20-3)		
Biodegradation	1 % (test concentration 20,1 mg/l)	

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)				
Biodegradation	gradation 31 % (28d) (OECD 301F method)			
12.3. Bioaccumulative potential				
Calcium branched alkyl phenate sulphide (overbased)				
BCF fish 1	2,2			
Log Kow	11,08			
12.4. Mobility in soil         No additional information available         12.5. Results of PBT and vPvB assessment         No additional information available				
12.6. Other adverse effects No additional information available				

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Do not allow into drains or water courses. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
European List of Waste (LoW) code	: 13 02 05 $^{\star}$ - mineral-based non-chlorinated engine, gear and lubricating oils

# SECTION 14: Transport information In accordance with ADR / RID / IMDG / IATA / ADN

# Lowcargo SAE 5W30 Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	-	TA	ADN	RID
14.1. UN number					
					Niet en alle elete
Not applicable	Not applicable	Not ap	plicable	Not applicable	Not applicable
14.2. UN proper shippin					
Not applicable	icable Not applicable Not ap			Not applicable	Not applicable
14.3. Transport hazard class(es)					[
Not applicable	Not applicable	Not ap	plicable	Not applicable	Not applicable
14.4. Packing group					
Not applicable	Not applicable         Not applicable         Not applicable				
14.5. Environmental haz	izards				
Not applicable	Not applicable	Not ap	plicable	Not applicable	Not applicable
No supplementary information	on available				·
14.6. Special precaution	s for user				
Overland transport					
Not applicable					
Transport by sea Not applicable					
Air transport					
Not applicable					
Inland waterway transport					
Not applicable					
Rail transport					
Not applicable					
14.7. Transport in bulk a Not applicable	according to Annex II of M	larpol and th	ie IBC Code		
SECTION 15: Regulate	ory information environmental regulation	s/logislation	specific for	the substance or mixture	
15.1.1. EU-Regulations	environmentar regulation	Shegislation	specific for		7
<b>–</b>	e applicable according to Anne	x XVII of the R	FACH Regulati	on (EC) No 1907/2006	
				· · ·	
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1					
	fulfilling the criteria for any of		Mineral oil * -	Distillates (petroleum), hydroti	reated heavy paraffinic
	s set out in Annex I to Regulati 3.1 to 3.6, 3.7 adverse effects				
function and fertility or on de	evelopment, 3.8 effects other th				
effects, 3.9 and 3.10					
	ures which are regarded as da		bis(nonylphen	yl)amine	
of the following hazard class	accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to				
Regulation (EC) No 1272/2008					
Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances					
VOC content					
VOC content Directive 2012/18/EU (SEVE)					
Directive 2012/18/EU (SEVESO III)					
15.1.2. National regulations No additional information available					
15.2. Chemical safety assessment					
No chemical safety assessme					

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information			
Abbreviations and acronyms:			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC50	Median effective concentration		
IARC	International Agency for Research on Cancer		
ΙΑΤΑ	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
РВТ	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
vPvB	Very Persistent and Very Bioaccumulative		
Full text of H- and EUH-statements:			
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4		
Asp. Tox. 1	Aspiration hazard, Category 1		
H304	May be fatal if swallowed and enters airways.		
H413	May cause long lasting harmful effects to aquatic life.		
EUH210	Safety data sheet available on request.		

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product